

* SHAKE BEFORE EACH USE




STEROID

Prednisolone Acetate
4 TIMES A DAY
(8 am, 12 pm, 4 pm, 8 pm)
MONTH 1

Then use...

* SHAKE BEFORE EACH USE



MILD STEROID

Fluorometholone
3 TIMES A DAY X 3 WEEKS
(8 am, 2 pm, 8 pm)
2 TIMES A DAY X 3 WEEKS
(8 am, 4 pm)
1 TIME A DAY X 3 WEEKS
(8 am)



ANTIBIOTIC

Vigamox/Moxifloxacin/Ofloxacin
4 TIMES A DAY
(8 am, 12 pm, 4 pm, 8 pm)
FOR 1st WEEK ONLY



NSAID

Ketorolac
2 TIMES A DAY
(8 am, 4 pm)
AS NEEDED FOR PAIN
FOR 3 DAYS ONLY



ARTIFICIAL TEARS

(PRESERVATIVE FREE)
AT LEAST EVERY HOUR
FOR 1 MONTH

AFTER YOUR SURGERY:

- Remain quiet the evening of surgery. No heavy reading. You may watch TV. Increase activity as your comfort and vision allows.
- Take your normal over-the-counter pain medication if needed.
- The doctor may give you a prescription for pain. Take as directed.
- You will have bandage Contact Lenses on your eyes for 3 to 5 days. The doctor will remove them.
- Use COLD PACKS for 5-10 minutes once every hour for 5-6 hours the day of surgery and on 2nd & 3rd day throughout day if uncomfortable.
- You can chill your Artificial Tears to increase comfort and decrease inflammation
- Your vision will be foggy for the first few days. Because of this your vision may not be adequate to drive.
- You may return to work and/or drive when you are confident with your vision and your comfort allows.
- You may experience some tearing, burning, stinging, light sensitivity, redness, and foreign body sensation.
- If you notice increasing pain or a sudden decrease in vision – call us immediately.

OTHER IMPORTANT PRECAUTIONS:

- Your vision may fluctuate for the first several weeks.
- You may experience halos and glare around lights at night for the first couple weeks.
- No eye makeup for 3 to 5 days. New mascara is recommended after the procedure.
- Avoid getting soap or water in your eyes while showering for the first week.
- Wear your shields while sleeping or napping for the first week.
- Do not rub or bump your eyes for at least 2 months after surgery.
- No swimming or hot tubs for 4 weeks. No high-impact water sports for 3 months.
- You should protect your eyes from bright sun and wind for 1 month.
- **ARTIFICIAL TEARS**
 - FIRST MONTH – Use Preservative Free Artificial Tears in vials every hour
 - MONTH 2 & 3 – OK to switch to a bottled Artificial Tear every 2 to 3 hours

Hoopes Vision Phone Number: 801-568-0200

Majid Moshirfar, M.D.

Patient Signature: _____

Date: _____

Staff Signature: _____

<p>Tomorrow's Appointment Time:</p>
